

# DOOR + FRAME (HINGED)

## Gamma VINYL

### GENERAL DESCRIPTION

Predrilled door and frame for easy on site installation.  
For interior use only.

### PRODUCT COMPOSITION:

#### DOOR

- Perimetral structure in medium density wood.
- Interior in cardboard honeycomb or chipboard with characteristics according to the standard EN 13986.
- 5 | 7 mm- Standard EN 13986 Wood fiberboard panels (MDF)
- PVC Edges
- Thickness: 35 | 40 | 45 mm



Alveolar profile (standard)



Agglomerated profile

#### DOOR FRAME

- 30 mm thickness plywood, according to the standard - EN 13986.
- 70x14 vertical and 70x12 horizontal plywood architraves with adjustment.
- Includes acoustic seal and fixing brackets for frame miter.


#### COATING

- Vinyl sheet of ranges VINYL TOUCH or VINYL NATUR.




### OPENING TYPE

#### Left kit



#### Right kit



### PERFORMANCE OPTIONS CERTIFICATIONS



34 | 37 dB




EI 30 | 45

Acoustic test according to ISO 10140.  
Acoustic classification according to ISO 717-1.


The door set, frame and accessories with this classification are suitable for areas where sound insulation is a fundamental requirement. The sound reduction comes from the door constructive characteristics with special acoustic properties, particularly its agglomerated core and the perimetral profile of the frame, which allows an acoustic insulation up to 37dB. This solution is perfectly suited for homes, offices or hotels.

Another performance option is the fire-proof classification with 30 or 60 minutes fire resistance classes.

### COLORS




vinyl  
**touch**




vinyl  
**natur**

This colors are purely exemplary and may show some differences on the original color or finish.

**TECHNICAL DRAWING**




**GLASS OPENING OPTIONS**



**LOCKS | HINGES OPTIONS**

**STANDARD | Kit for hinged doors**




**STANDARD PLUS | Hardware kit**



**Magnetic lock  
Standard hinges**

Use:  
Wooden door frames



**PREMIUM | Hardware kit**



**Magnetic lock  
Invisible hinges**

Use:  
Wooden and aluminium door frames

